testo 300



	°C	- +)			ر ع	$\overline{\gamma}$
244 x 59 x 98 mm 9.61 x 2.32 x 3.86 in $\underbrace{\left \begin{array}{c} \hline \\ \hline $	-5+45°C +23+113°F ↓↓↓↓ -20+50°C -4+122°F ↓↓↓↓	0+35°C +32+95°F	(?) CO (?) CO-H ₂ (?) NO (?) Slot 3 (?) 1/x	$-40 \dots +1200 °C -40 \dots 2192 °F O_2 = 0 \dots 21 Vol.% 1:X 1:1 CO 0 \dots 15000 ppm 0 \dots 4000 ppm CO H_2 0 \dots 30000 ppm 0 \dots 8000 ppm -9,99 \dots +40 hPa -4.00 \dots +16 lnH_2O -100 \dots +200 hPa -40 \dots +6.5 lnH_2O -40 \dots +6.5 lnH_$	ca. 800 g 28.22 oz	IP40

Approval and Certification

Product	testo 300
产品名称	testo 300LL
MatNo.	0633 3002
型号	0633 3004
Date 日期	27.04.2023

The use of the wireless module is subject to the regulations and stipulations of the respective country of use, and the module may only be used in countries for which a country certification has been granted. The user and every owner has the obligation to adhere to these regulations and prerequisites for use, and acknowledges that the re-sale, export, import etc. in particular in countries without wireless permits, is his responsibility.



FCC Compliance Statement

This device complies with Part 15 of the FCC Rules. Operation is subiect to the following two conditions:

This device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation.

KCC Warning

해당 무선 설비는 운용 중 전파혼신 가능성이 있음。

Scope

This part of IEC 61000 for EMC immunity requirements applies to electrical and electronic equipment intended for use residential, commercial, public and light-industrial locations. Immunity requirements in the frequency range 0 Hz to 400GHz are covered. No tests need to be performed at frequencies where no requirements are specified.

The generic EMC immunity standard is applicable if no relevant dedicated product or product family EMC immunity standard exists.

The standard applies to electrical and electronic equipment intended to be operated in

Residential locations, as defined in 3.8. both indoor and outdoor.

Commercial, public and light industrial locations, as defined in 3.9. both indoor and outdoor.