

Model comparison: The voltage tester testo 750.



360° Clear, patented all-round display with fibre-optic technology

Anti-slip ring for secure grip

Ergonomic handle shape

Measuring point illumination



Order no. 0590 7501
EUR XX.XX

Voltage tester, incl. batteries, measuring tip protector and measuring tip caps.



Order no. 0590 7502
EUR XX.XX

Voltage tester, incl. batteries, measuring tip protector and measuring tip caps.



Order no. 0590 7503
EUR XX.XX

Voltage tester, incl. batteries, measuring tip protector and measuring tip caps.

Voltage tester model comparison

	testo 750-1	testo 750-2	testo 750-3
Patented all-round LED display	✓	✓	✓
Fibre-optics for optimum voltage indication	✓	✓	✓
Anti-slip ring	✓	✓	✓
Ergonomic handle shape	✓	✓	✓
Certified according to the DIN-EN 61243-3:2010 voltage tester standard	✓	✓	✓
Measuring point illumination	✗	✓	✓
Single-pole voltage testing	✗	✓	✓
RCD trigger function	✗	✓	✓
Additional LC display	✗	✗	✓

Technical data

Voltage testing	12 to 690 V AC/DC	12 to 690 V AC/DC	12 to 690 V AC/DC
Continuity testing	< 500 kΩ	< 500 kΩ	< 500 kΩ
Rotating magnetic field testing	100 to 690 V AC at 50/60 Hz	100 to 690 V AC at 50/60 Hz	100 to 690 V AC at 50/60 Hz
Single pole phase testing	-	<ul style="list-style-type: none"> 100 to 690 V AC at 50/60 Hz 	<ul style="list-style-type: none"> 100 to 690 V AC at 50/60 Hz
Measurement category	CAT IV 600 V / CAT III 1000 V	CAT IV 600 V / CAT III 1000 V	CAT IV 600 V / CAT III 1000 V
Protection class	IP64	IP64	IP64
Authorizations	TÜV, CSA, CE	TÜV, CSA, CE	TÜV, CSA, CE
Standard	IP64	IP64	IP64

• Main differences between the models