

Surface probe with telescope

For easy temperature measurement in places that are difficult to access.

Probe available angled (30°, 90°) or straight

Standard probe length 50 mm (other lengths are available)

Telescope cable length 2.6 m (other lengths are available)


Telescope available with silicone or FEP cable if required




This surface temperature probe is connected to the measuring instrument (e.g. testo 480, testo 922 or testo 735) via the telescope, making it possible to measure the temperature in places that are difficult to access, e.g.

- on engines
- on lamps
- in ducts
- in shafts.

The length of the probe and the cable length of the telescope can both be customized.



Sensor type	TC Type K
Accuracy	Class 2
Measuring range	-40 to +350 °C
Response time t90	Approx. 25 s
Measuring surface	Ø approx. 4 mm
Dimensions	Ø measuring tip 4 mm Ø probe shaft 3 mm Probe shaft length 50 mm (other lengths are available)
Connector	4-pin Lemosa 1B, T _{max} +250 °C



Telescope	
350 to 100	00 mm —
	8800-
Telescope with 2.6 m silicone cable	Version with 2.6 m FEP cable
Order no. 0600 9999	Order no. 0600 9999
ID no. 0699 1261/4	ID no. 0699 1261/6
Other cable lengths are available.	

Length	Compressed approx. 350 mm Extended approx. 1000 mm
Accuracy	Class 2
Operating temperature	-30 to +140 °C
Cable length	2.6 m (other lengths are available)
Cable material	Silicone or FEP
Connector	Mini TC connector, moulded
Compatible measuring instruments	testo 480 testo 735 testo 922

We are happy to adapt probes to suit your individual requirements. Simply send us a short mail to: **vertrieb@testo.de**.

P CS///07.2022 Subject to change, including technical changes, without notice.